



## Animal Health Product Companies' Recommendations to Meet Japanese MRL Requirements of U.S. Pork

Data Provided by the National Pork Board

Date that these data were last updated: 8/1/2008 9:25:32 AM

These data will be updated each time more information is provided by animal health-product companies. Please go to [pork.org](http://pork.org) to check for the latest information.

Product (Trade Name)	Active Ingredient	US Withdrawal Period	Recommended Withdrawal Period to satisfy Japan MRL	Company
<b>Excenel© RTU EZ Sterile Suspension</b>	ceftiofur hydrochloride	4 days	5 days	Pfizer
<b>Baytril® 100</b>	enrofloxacin	5 days	14 days	Bayer Animal Health
<b>NeoMed Soluble Powder</b>	Neomycin sulfate	3 days	3 days	Bimeda, Inc.
<b>Tetroxy LA Injection</b>	Oxytetracycline	28 days	14 days	Bimeda, Inc.
<b>Tetroxy HCA Soluble Powder</b>	Oxytetracycline HCl	0 days	5 days	Bimeda, Inc.
<b>TetraMed 324 HCA Soluble Powder</b>	Tetracycline HCl	4 days	14 days	Bimeda, Inc.
<b>Pro Pen G Injectable Suspension</b>	Penicillin G Procaine	6 days	15 days	Bimeda, Inc.
<b>LincoMed 300 Injection</b>	Lincomycin HCl	48 hr.	4 days	Bimeda, Inc.
<b>LincoMed 100 Injection</b>	Lincomycin HCl	48 hr.	4 days	Bimeda, Inc.
<b>Combi Pen 48 Injectable Suspension</b>	Penicillin G Benzathine/Procaine	14 days	50 days	Bimeda, Inc.
<b>Tylan® Injection</b>	tylosin	14 days	14 days	Elanco
<b>Tylan® Premix</b>	tylosin	0 days	0 days	Elanco
<b>Tylan® Soluble</b>	tylosin	2 days	2 days	Elanco
<b>Tylan® Sulfa G</b>	tylosin and sulfamethazine	15 days	15 days	Elanco
<b>Terramycin® 343 Soluble Powder</b>	oxytetracycline	0 days	5 days	Pfizer
<b>Tet-Sol™ 10 or 324 (Water Soluble)</b>	tetracycline HCl	4 days	10 days	Alpharma
<b>TM 50 or 100</b>	oxytetracycline	0 days	14 days (Follow NPPC's voluntary 14-days WDP for tetracycline containing products)	Phibro
<b>Terramycin® Soluble Powder</b>	oxytetracycline	0 days	5 days	Pfizer
<b>Pulmotil®</b>	tilmicosin	7 days	7 days	Elanco
<b>Safe-Guard Feed</b>	fenbendazole	0 days	21 days	Intervet
<b>Stafac (various)</b>	virginiamycin	0 days	0 days	Phibro

concentrations)				
<b>Terramycin 50, 100, 200</b>	oxytetracycline	0 days	14 days (Follow NPPC's voluntary 14-days WDP for tetracycline containing products)	Phibro
<b>Planate®</b>	cloprostenol	Not licensed	7 days (Approved for use in Canada)	Schering-Plough
<b>PREDEF® 2X Sterile Aqueous Suspension</b>	isoflupredone acetate	7days	7 days	Pfizer
<b>Procaine Penicillin G (Injectable)</b>	Procaine Penicillin G		15 days	FARAD (Food Animal Residue Avoidance Database)
<b>Pennox 50™, 100 Hi-Flo™, or 200 Hi-Flo™</b>	oxytetracycline	5 days	14 days (Follow NPPC's voluntary 14-days WDP)	PennField
<b>Pennox 343™ (Water Soluble)</b>	oxytetracycline	5 days	14 days (Follow NPPC's voluntary 14-days WDP)	PennField
<b>Pennchlor SP 500™</b>	chlortetracycline, sulfamethazine, penicillin	15 days	15 days	PennField
<b>Pennchlor 50™, 50-G®, 90-G®, 100 Hi-Flo™, and 100-G®</b>	chlortetracycline	7 days	10 days	PennField
<b>Pennchlor 64™ (Water Soluble)</b>	chlortetracycline HCL	7 days	10 days	PennField
<b>Oxytet™ soluble (Water Soluble)</b>	oxytetracycline HCl	0 days	5 days	Alpharma
<b>Paylean®</b>	ractopamine	0 days	0 days	Elanco
<b>Penicillin 100 (Feed)</b>	penicillin G, procaine	0 days	3 days	Alpharma
<b>Neo-Terramycin 100/50, 50/50 or 100/50D</b>	neomycin/oxytetracycline	10 or 5 days	14 days (Follow NPPC's voluntary 14-days WDP for tetracycline containing products)	Phibro
<b>Nuflor® Injectable</b>	florfenicol	Not licensed	21 days (Approved for use in Canada)	Schering-Plough
<b>Nuflor® 2.3% Concentrate Solution</b>	florfenicol	16 days	16 days	Schering-Plough
<b>NAXCEL® Sterile Powder</b>	Ceftiofur sodium	4 days	4 days	Pfizer
<b>Neo-Oxy 100/50, 50/50, or 100/50 MR</b>	neomycin/oxytetracycline	10 days	10 days	PennField
<b>Neo-Sol® (Water Soluble)</b>	neomycin sulfate	3 days	3 days	Alpharma
<b>Liquamycin® LA-200® Injectable</b>	oxytetracycline	28 days	28 days	Pfizer
<b>Lutalyse® Sterile Solution</b>	dinoprost tromethamine	0 days	1 day	Pfizer
<b>Mecadox 10</b>	carbadox	42 days	42 days	Phibro
<b>Lincomix® Soluble Powder</b>	Lincomycin	0 days	0 days	Pfizer
<b>Lincomycin Injectable 30% Injectable</b>	lincomycin HCl	2 days	2 days	Alpharma
<b>Lincomycin Soluble (Water Soluble)</b>	lincomycin HCl	6 days	6 days	Alpharma

<b>Levasole® Soluble Pig Wormer</b>	Levamisole	3 days	5 days	Schering-Plough
<b>Lincomix® Feed Medications 20, 50</b>	Lincomycin	0 days	0 days	Pfizer
<b>Lincomix® Injectable</b>	Lincomycin	2 days	4 days	Pfizer
<b>Gen Gard</b>	gentamicin sulfate	10 days	17 days	AgriLabs
<b>IVOMEC 1% Injection</b>	ivermectin	18 days	35 days	Merial
<b>IVOMEC Premix</b>	ivermectin	5 days	7 days	Merial
<b>Excede® for Swine Sterile Suspension</b>	ceftiofur crystalline free acid	14 days	48 days	Pfizer
<b>Excenel® RTU Sterile Suspension</b>	ceftiofur hydrochloride	4 days	5 days	Pfizer
<b>Flavomycin 4</b>	Bambermycin	0 days	0 days	Huvepharma, Inc.
<b>Denagard (tiamulin) Type A Medicated - 200 g/ton inclusion rate</b>	tiamulin	7 days	14 days	Novartis
<b>Draxxin® Injectable Solution</b>	tulathromycin	5 days	33 days	Pfizer
<b>Denagard (tiamulin) Liquid - 10.5 mg/lb body weight/day dose rate</b>	tiamulin	7 days	14 days	Novartis
<b>Denagard (tiamulin) Liquid - 3.5 mg/lb body weight/day dose rate</b>	tiamulin	3 days	10 days	Novartis
<b>Denagard (tiamulin) Type A Medicated - 35 g/ton inclusion rate</b>	tiamulin	2 days	7 days	Novartis
<b>ChlorMax® 50</b>	chlortetracycline	0 days	10 days	Alpharma
<b>Chloratet 50</b>	chlortetracycline	0 days	10 days	ADM AH
<b>Dectomax® Injectable</b>	doramectin	24 days	60 days	Pfizer
<b>Benzathine Penicillin Injection</b>	Benzathine Penicillin		50 days	FARAD (Food Animal Residue Avoidance Database)
<b>BMD® 30, 50 or 60 (Feed)</b>	bacitracin, methylene, disalicylate	0 days	0 days	Alpharma
<b>BMD® Soluble 50% (Water Soluble)</b>	bacitracin, methylene, disalicylate	0 days	0 days	Alpharma
<b>AureoZol® 250 or Granular 500 (Feed)</b>	chlortetracycline, sulfathiazole, penicillin	7 days	7 days	Alpharma
<b>Banamine®-S Injectable</b>	Flunixin	12 days	28 days	Schering-Plough
<b>Banminth 48</b>	pyrantel tartrate	1 day	1 day	Phibro
<b>Atroban® 11%, Atroban® 42.5%</b>	permethrin	5 days	2 days	Schering-Plough
<b>Aureo S-P® 250 Granular or Aureomix Granular 500 (Feed)</b>	chlortetracycline, sulfamethazine, penicillin	15 days	15 days	Alpharma
<b>Aureomycin® 50, 90, or 100 granular (Feed)</b>	chlortetracycline	0 days	10 days	Alpharma
<b>Albac®/Baciferm®</b>	bacitracin zinc	0 days	0 days	Alpharma

<b>Granular 50</b>				
<b>Apralan® Premix</b>	apramycin	28 days	28 days	Elanco
<b>Apralan® Soluble</b>	apramycin	28 days	28 days	Elanco
<b>3-Nitro® 20 (Feed)</b>	roxarsone	5 days	5 days	Alpharma
<b>3-Nitro® Soluble</b>	roxarsone	5 days	5 days	Alpharma